



## Evian, agua natural de manantial – Informe anual de la calidad del agua

En Evian estamos orgullosos de nuestros productos. Evian, agua natural de manantial, es distribuida en toda la nación y alcanza o excede todos los estándares de calidad y seguridad impuestos por el gobierno federal y estatal. La *Administración de Drogas y Alimentos de los Estados Unidos (FDA)* regula la comida y el agua. Nuestros científicos, así como también entidades independientes (laboratorios certificados) testean de forma extensiva el agua de la fuente y también el producto terminado para asegurar que el producto exceda o alcanza las normas federales y estatales del agua embotellada.

Además de los estrictos estándares regulatorios, la asociación internacional del agua embotellada (IBWA) mantiene un riguroso código de calidad para sus miembros. Evian es miembro de IBWA y alcanza o excede los requisitos del código de IBWA. Así mismo nos orgullese saber que nuestra planta es inspeccionada anualmente sin aviso previo, por un agente de NSF internacional (NSF). Basándose en estas inspecciones sin aviso previo y en análisis realizados en el producto terminado, NSF certifica que Evian, agua natural de manantial, cumple con las regulaciones federales y estatales y también con el código de IBWA. NSF está ubicado en Ann Arbor, Michigan. Para mas información acerca del IBWA o NSF, por favor visite sus páginas de Internet <http://www.bottledwater.org> y <http://www.nsf.org> o llame a IBWA al 1-800-WATER-11 o a NSF al 1-800-673-6275.

### **Evian, Agua Natural de Manantial**

Evian, agua natural de manantial, empieza su jornada como lluvia y nieve en la cima de los alpes franceses. Lleva al menos 15 años para cada gota de evian sea filtrada a través de las formaciones de arena glacial de los alpes franceses. Es también en esta jornada que Evian adquiere sus cualidades únicas, el equilibrio en su composición mineral. La composición mineral de Evian ha siempre sido única desde sus inicios. En 1807, Evian fue analizada por primera vez y desde entonces su singular composición mineral es testimonio de su calidad.

### **Embotellamiento de Evian, Agua Natural de Manantial**

Evian, agua natural de manantial es exclusivamente embotellada en su fuente (Manantial Cachat), la cual yace en la base de los alpes franceses, lejos de todo desarrollo urbano o industrial. El manantial Cachat esta claramente indicado en las etiquetas de las botellas del agua Evian. La fuente del agua Manantial Cachat, es aprobada por varias agencias regulatorias que basan sus aprobaciones en revisiones extensivas y bien detalladas. La alta calidad de Evian, tanto en la fuente, como en el producto embotellado es controlada por pruebas analíticas. Estas pruebas comprueban que el agua no está de ninguna forma contaminada. Varios cientos de pruebas se realizan a diario en la fuente antes de que el agua sea embotellada y en el producto terminado para verificar que la composición mineral sea constante, la ausencia de contaminación y la calidad de las botellas de plástico. La tubería de acero inoxidable que sale a partir de la fuente va directamente a la planta. La planta y su equipo están diseñados para proteger la pureza de Evian, además de los equipos automatizados de embotellado que se mantienen bajo estrictas condiciones sanitarias.

### **Datos sobre la calidad del agua**

Se adjunta una copia de nuestras más reciente pruebas de calidad del agua realizadas por el laboratorio certificado independiente, NSF. Los Informe de NSF listan los resultados de las pruebas de calidad del agua, más de 175 sustancias, incluyendo productos inorgánicos (metales, minerales, etc.), orgánicos (plaguicidas, herbicidas, etc.) y microbianos así como también parámetros físicos. Evian, Agua de natural manantial, testea tanto las substancias reguladas, como las substancias no reguladas. El presente informe contiene la sustancia analizada, los métodos de ensayo utilizados aprobados, los resultados de las pruebas, los límites mínimos de detección, las unidades de medición, la fecha y las normas de Calidad para el agua embotellada impuestas por la FDA. Las normas de calidad impuestas por FDA determinan los niveles máximos permisibles de más de 80 sustancias en el agua embotellada.

**Evian, Agua Natural de manantial, se encuentra en pleno cumplimiento de todas leyes federal, estatales y de la industria del agua embotellada.**

**Para obtener más información acerca de Evian Agua natural de manantial, llame al 1-800-633-3363 o escríbanos a Evian Consumer Care, PO Box 1625, Horsham, PA 19044**

# Evian agua natural de manantial

## Informe del agua embotellada de California

**EL ESTADO DE CALIFORNIA REQUIERE QUE LA SIGUIENTE INFORMACION SEA PROVEIADA A LOS CONSUMIDORES DE AGUA EMBOTELLADA CAUNDO ESTOS ÚLTIMOS LA PIDAN.**

Evian agua natural de manantial  
Sociedad de agua mineral Evian  
Danone Waters of America, Inc.  
100 Hillside Avenue  
White Plains, NY 10603  
1-800-633-3363

**Source: Manantial Cachat**

### Condiciones:

*"declaración de calidad" – el patrón o norma (declaración) de calidad para el agua embotellada es el nivel más alto que un contaminante está permitido en un envase de agua embotellada, según lo establecido por la Administración de Drogas y Alimentos de los Estados Unidos (FDA) y el Departamento de Salud Pública de California. Los estándares no pueden proteger menos la salud pública que los estándares para el agua potable pública, establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de Salud Pública de California.*

*"objetivo de la salud pública (PHG)" – Que el nivel de un contaminante en el agua potable este por debajo del cual no hay riesgo conocido o previsto para la salud. Las PHGs son fijadas por la Agencia de Protección Ambiental de California.*

*"Nivel máximo del contaminante (MCL)" – Es el nivel más alto que un contaminante está permitido en el agua potable, establecido por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de la Salud Pública de California. MCLs primarios se fijan tan cercanos a las PHGs como sea económica y tecnológicamente factible.*

*"norma primaria para agua potable" – MCLs para los contaminantes que afectan la salud establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de la Salud Pública de California junto con sus requisitos de monitoreo y preparación de informes, y requisitos de tratamiento de aguas.*

**Tratamiento del agua:** Menos del 20% del caudal de Evian agua natural de manantial es filtrada atravez del uso de arena verde ( arena verde: dióxido de manganeso), tratamiento que remueve hierro y manganeso (minerales inofensivos) por razones estéticas

**Sitio Internet de la FDA para la recuperación de producto:** <http://www.fda.gov/opacom/7alerts.html>

**Nuestro producto ha sido completamente testeado conforme a las leyes federales y de las California. Nuestra agua embotellada es un producto alimenticio y no puede ser vendido a menos que cumpla las normas establecidas por la Administración de Drogas y Alimentos de los Estados Unidos y el Departamento de Salud Pública de California. Las siguientes declaraciones son requeridas bajo las leyes de California:**

*En el agua potable, incluyendo el agua embotellada, se puede esperar, razonablemente, que contenga por lo menos pequeñas cantidades de algunos contaminantes. La presencia de contaminantes no indica necesariamente que el agua contituya un riesgo para la salud. Mayor información sobre los contaminantes y los posibles efectos sobre la salud puede ser obtenida llamando a la Administración de Drogas y Alimentos de los Estados Unidos, usando la Línea Directa sobre Alimentos y Cosméticos (1-888-723-3366)."*

*”Algunas personas pueden ser más vulnerables a los contaminantes en el agua potable que el resto de la población. Las personas inmuno-comprometidas, incluyendo, pero no limitando a, personas con cáncer que estén bajo quimioterapia, personas que hayan recibido trasplantes de órganos, personas con HIV/AIDS (SIDA) u otros desórdenes del sistema inmunológico, algunas personas de edad avanzada, y los niños pequeños pueden estar particularmente a riesgo de infecciones. Estas personas deben buscar consejo acerca del agua potable con sus proveedores de servicios de salud. Las guías de la Agencia de Protección Ambiental de Estados Unidos y de los Centros para el Control y la Prevención de Enfermedades sobre las medidas apropiadas para disminuir el riesgo de infección por Cryptosporidium y otros contaminantes microbianos están disponibles a través de la Línea Directa sobre Agua Potable Segura (1-800-426-4791).”*

*”Las fuentes del agua embotellada incluyen los ríos, los lagos, las corrientes, los estanques, los embalses, los manantiales, y los pozos. Mientras que el agua viaja naturalmente sobre la superficie de la tierra o a través de los suelos, puede recoger substancias que ocurren naturalmente, así como también substancias que están presentes debido a la actividad humana y a la fauna. Las substancias que puedan estar presentes en la fuente de agua incluyen cualquiera de las siguientes:*

- 1. Las substancias inorgánicas, incluyendo, pero no limitadas a, las sales y los metales, que pueden ocurrir naturalmente o como resultado de cultivos agrícolas, arrastre de aguas pluviales urbanas, aguas servidas industriales o domésticas, o producción de petróleo y gas*
- 2. Los plaguicidas y herbicidas que pueden proceder de una variedad de fuentes, incluyendo pero no limitando a, la agricultura, el arrastre de aguas pluviales urbanas, y las aplicaciones residenciales.*
- 3. Las sustancias orgánicas que son subproductos de procesos industriales y de la producción del petróleo y pueden provenir de gasolineras, del arrastre de aguas pluviales urbanas, del uso agrícola, y de sistemas sépticos.*
- 4. Organismos microbianos que pueden originarse en la fauna, las operaciones de cría de ganado, las plantas de tratamiento de aguas residuales, y los sistemas sépticos.*
- 5. Las substancias con características radioactivas que pueden ocurrir naturalmente o sean el resultado de la producción de petróleo y gas, y de las actividades de minería.”*

*”Para asegurarse que el agua embotellada sea segura al consumo, la Administración de Alimentos y Drogas de los Estados Unidos y el Departamento de la Salud Pública del Estado prescriben las regulaciones que limitan la cantidad de ciertos contaminantes en el agua suministrada por las compañías embotelladoras de agua.”*



**General Information**

Standard: USFDA CFR Title 21 Part 165.110  
Lot Number: PRD 01 15 18 08:39 EXP 01 15 2020/L8  
Product Description: line 8 - Natural Spring Water  
Trade Name: Evian

Sample Id: **S-0001456470**  
Description: Evian | line 8 - Natural Spring Water | PRD 01 15 18 08:39 EXP 01 15 2020/L8  
Sampled Date: 01/24/2018  
Received Date: 01/22/2018

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	300		mg/LCaCO3	
Color	5	ND		Color Unit	
Specific Conductance	10	600		umhos/cm	
Corrosivity	0	0.1			
Hardness, Total	2	320		mg/LCaCO3	
Solids Total Dissolved	5	340		mg/L	
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	7.05			
Temperature	0	23		deg. C	
Bicarbonate	5	360		mg/L HCO3	
Odor, Threshold	1	ND		TON	
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
<b>Radiologicals</b>					
Uranium	0.001	0.002	0.03	mg/L	Pass
<b>Inorganic Chemicals</b>					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0002	ND	0.006	mg/L	Pass
Arsenic	0.001	ND	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas					
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	0.12	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	11		ug/L	

Sample Id: **S-0001456470**

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.04	83		mg/L	
Chloride	2	10		mg/L	
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	ND	1.4	mg/L	Pass
Iron	0.02	ND		mg/L	
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.04	27		mg/L	
Manganese	0.001	0.001		mg/L	
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.005	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.01	0.90	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	0.90	10	mg/L	Pass
Potassium	0.5	1.1		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.2	6.9		mg/L	
Sulfate as SO4	1	14	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND		mg/L	
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref. EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
Aldicarb sulfoxide	0.5	ND		ug/L	
Aldicarb sulfone	0.5	ND		ug/L	
Oxamyl	0.5	ND	200	ug/L	Pass
Aldicarb	0.5	ND		ug/L	
Carbofuran	0.5	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
3-Hydroxycarbofuran	0.5	ND		ug/L	
Herbicides (Ref: EPA 515.3)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass



Sample Id: S-0001456470

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
<b>Semivolatile Organic Compounds (Ref: EPA 525.2)</b>					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.1	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
<b>Volatiles: EDB and DBCP (Ref: EPA 504.1)</b>					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
<b>Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)</b>					
Dichlorodifluoromethane	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Bromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass



Sample Id: S-0001456470

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
2,2-Dichloropropane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
Chloroform	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
Trichloroethylene	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
Bromodichloromethane	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
cis-1,3-Dichloropropene	0.5	ND		ug/L	
trans-1,3-Dichloropropene	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,3-Dichloropropane	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chlorobenzene	0.5	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
1,1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methyl Ethyl Ketone	5	ND		ug/L	
Toluene	0.5	ND	1000	ug/L	Pass
Ethyl Benzene	0.5	ND	700	ug/L	Pass
m+p-Xylenes	1	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Bromobenzene	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
tert-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
n-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	



Sample Id: S-0001456470

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
<b>Chlorinated Pesticides and Organohalides by EPA 508.1</b>					
Toxaphene	0.1	ND	3	ug/L	Pass
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass





<<Additional Information>>

Sample Id: S-0001456470

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
Alkalinity (Ref: SM 2320-B)	29-JAN-2018		
Color (Ref: SM 2120-B)	24-JAN-2018	10:15	
Specific Conductance (Ref: EPA 120.1)	24-JAN-2018		
Corrosivity (Ref: SM 2330-B)			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	24-JAN-2018		
Turbidity (Ref: EPA 180.1)	25-JAN-2018	11:40:00	
pH (Ref: SM4500-HB)	24-JAN-2018	14:12:12	
Bicarbonate (Ref: SM 2320-B)			
Odor, Threshold Number ( Ref. Standard Methods 2150 B)	24-JAN-2018		
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	26-JAN-2018		
Chloramines (Ref: SM 4500-Cl-G)	24-JAN-2018	10:22:00	
Chlorite (Ref: EPA 300.1)	26-JAN-2018		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	24-JAN-2018	10:22:00	
Haloacetic Acids (Ref: EPA 552.2)	26-JAN-2018		25-JAN-2018
Chlorine, Total Residual (ref. SM 4500CL-G)	24-JAN-2018	10:22:00	
<b>Radiologicals</b>			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	25-JAN-2018		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
# * Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas	2-FEB-2018	14:39	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Bromide (Ref: EPA 300.1)	26-JAN-2018		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Chloride (Ref: EPA 300.0)	24-JAN-2018		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Cyanide, Total (Ref: Lachat Instruments QuikChem Method 10-204-00-1-X)	25-JAN-2018		



<<Additional Information>>

Sample Id: S-0001456470

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
Fluoride (Ref: SM 4500-F-C)	26-JAN-2018		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Nitrogen, Nitrate (Ref: EPA 300.0)	24-JAN-2018	11:51:10	
Nitrogen, Nitrite (Ref: EPA 300.0)	24-JAN-2018	11:51:10	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2018		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Sulfate as SO4 (Ref: EPA 300.0)	24-JAN-2018		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	24-JAN-2018	13:39:00	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
* Phenolics, Total Recoverable (Based on EPA 420.2)	25-JAN-2018		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	29-JAN-2018		28-JAN-2018
Endothall (Ref: EPA 548.1) - (ug/L)	26-JAN-2018		26-JAN-2018
Glyphosate (Ref: EPA 547)	2-FEB-2018		
Perchlorate (Ref: EPA 314.0)	30-JAN-2018		
2,3,7,8-TCDD (Ref: EPA 1613B)	26-JAN-2018		24-JAN-2018
Carbamate Pesticides (Ref: 531.2)	25-JAN-2018		
Herbicides (Ref: EPA 515.3)	29-JAN-2018		26-JAN-2018
Semivolatile Organic Compounds (Ref: EPA 525.2)	25-JAN-2018		24-JAN-2018
Volatiles: EDB and DBCP (Ref: EPA 504.1)	25-JAN-2018		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	31-JAN-2018		
Chlorinated Pesticides and Organohalides by EPA 508.1	30-JAN-2018		



**Testing Laboratories:**

Flag	Id	Address
All work performed at: (Unless otherwise specified)	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105
#	BVNA	Bureau Veritas North America 3380 Chastain Meadows Pkwy 300 Kennesaw, GA 30144 Arizona License #AZ0675 NY Lic. # 11645 MI Lic. # 9955

**References to Testing Procedures:**

NSF Reference	Parameter / Test Description
C1188	Odor, Threshold Number ( Ref. Standard Methods 2150 B)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: Lachat Instruments QuikChem Method 10-204-00-1-X)
C3021	* Phenolics, Total Recoverable (Based on EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3166	Bicarbonate (Ref: SM 2320-B)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)



**References to Testing Procedures: ( Cont'd )**

<b>NSF Reference</b>	<b>Parameter / Test Description</b>
C3169	Chloramines (Ref: SM 4500-Cl-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Halacetic Acids (Ref: EPA 552.2)
C4202	Herbicides (Ref: EPA 515.3)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1

**Certifications:**

Arizona ( # AZ0655 )	California ( # 03214 CA )	Connecticut ( # PH-0625 )
Florida ( # E-87752 FL )	Hawaii	Indiana
Maryland ( # 201 )	Michigan ( # 0048 )	North Carolina ( # 26701 )
New Jersey ( # MI770 )	Nevada ( # MI000302010A )	New York ( # 11206 )
Pennsylvania ( # 68-00312 )	South Carolina ( # 81005 )	Virginia ( # 00045 )
Vermont ( # VT 11206 )		

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Specific Conductance, Radon, Sr-89/90 and Total Residual Chlorine cannot be used for compliance purposes within the State of Arizona.

The reported results for Asbestos, Phenolics, pH, Chlorine Dioxide, Chloramines and Total Residual Chlorine are not covered by New York State certification.

**Notes:**

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.
- 4) Product not evaluated for Total Dissolved Solids against the minimum FDA SOQ for the labeling of the product as Natural Mineral Water. Company is responsible for compliance with applicable regulatory requirements applicable to conducting commerce.

For a list of NSF International Method Detection Limits refer to [http://www.nsf.org/media/enews/documents/minimum\\_detection\\_level\\_spreadsheet.pdf](http://www.nsf.org/media/enews/documents/minimum_detection_level_spreadsheet.pdf).