

# Evian agua natural de manantial

## Informe del agua embotellada de California

**EL ESTADO DE CALIFORNIA REQUIERE QUE LA SIGUIENTE INFORMACION SEA PROVEIADA A LOS CONSUMIDORES DE AGUA EMBOTELLADA CAUNDO ESTOS ÚLTIMOS LA PIDAN.**

Evian agua natural de manantial  
Sociedad de agua mineral Evian  
Danone Waters of America, Inc.  
1 Maple Avenue  
White Plains, NY 10605  
1-800-633-3363

### **Source: Manantial Cachat**

### **Condiciones:**

*"declaración de calidad" – el patrón o norma (declaración) de calidad para el agua embotellada es el nivel más alto que un contaminante está permitido en un envase de agua embotellada, según lo establecido por la Administración de Drogas y Alimentos de los Estados Unidos (FDA) y el Departamento de Salud Pública de California. Los estándares no pueden proteger menos la salud pública que los estándares para el agua potable pública, establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de Salud Pública de California.*

*"objetivo de la salud pública (PHG)" – Que el nivel de un contaminante en el agua potable este por debajo del cual no hay riesgo conocido o previsto para la salud. Las PHGs son fijadas por la Agencia de Protección Ambiental de California.*

*"Nivel máximo del contaminante (MCL)" – Es el nivel más alto que un contaminante está permitido en el agua potable, establecido por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de la Salud Pública de California. MCLs primarios se fijan tan cercanos a las PHGs como sea económica y tecnológicamente factible.*

*"norma primaria para agua potable" – MCLs para los contaminantes que afectan la salud establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de la Salud Pública de California junto con sus requisitos de monitoreo y preparación de informes, y requisitos de tratamiento de aguas.*

**Tratamiento del agua:** Menos del 20% del caudal de Evian agua natural de manantial es filtrada atravez del uso de arena verde ( arena verde: dióxido de manganeso), tratamiento que remueve hierro y manganeso (minerales inofensivos) por razones estéticas

**Sitio Internet de la FDA para la recuperación de producto:** <http://www.fda.gov/opacom/7alerts.html>

**Nuestro producto ha sido completamente testeado conforme a las leyes federales y de las California. Nuestra agua embotellada es un producto alimenticio y no puede ser vendido a menos que cumpla las normas establecidas por la Administración de Drogas y Alimentos de los Estados Unidos y el Departamento de Salud Pública de California. Las siguientes declaraciones son requeridas bajo las leyes de California:**

*En el agua potable, incluyendo el agua embotellada, se puede esperar, razonablemente, que contenga por lo menos pequeñas cantidades de algunos contaminantes. La presencia de contaminantes no indica necesariamente que el agua contituya un riesgo para la salud. Mayor información sobre los contaminantes y los posibles efectos sobre la salud puede ser obtenida llamando a la Administración de Drogas y Alimentos de los Estados Unidos, usando la Línea Directa sobre Alimentos y Cosméticos (1-888-723-3366)."*

*”Algunas personas pueden ser más vulnerables a los contaminantes en el agua potable que el resto de la población. Las personas inmuno-comprometidas, incluyendo, pero no limitando a, personas con cáncer que estén bajo quimioterapia, personas que hayan recibido trasplantes de órganos, personas con HIV/AIDS (SIDA) u otros desórdenes del sistema inmunológico, algunas personas de edad avanzada, y los niños pequeños pueden estar particularmente a riesgo de infecciones. Estas personas deben buscar consejo acerca del agua potable con sus proveedores de servicios de salud. Las guías de la Agencia de Protección Ambiental de Estados Unidos y de los Centros para el Control y la Prevención de Enfermedades sobre las medidas apropiadas para disminuir el riesgo de infección por Cryptosporidium y otros contaminantes microbianos están disponibles a través de la Línea Directa sobre Agua Potable Segura (1-800-426-4791).”*

*”Las fuentes del agua embotellada incluyen los ríos, los lagos, las corrientes, los estanques, los embalses, los manantiales, y los pozos. Mientras que el agua viaja naturalmente sobre la superficie de la tierra o a través de los suelos, puede recoger sustancias que ocurren naturalmente, así como también sustancias que están presentes debido a la actividad humana y a la fauna. Las sustancias que puedan estar presentes en la fuente de agua incluyen cualquiera de las siguientes:*

- 1. Las sustancias inorgánicas, incluyendo, pero no limitadas a, las sales y los metales, que pueden ocurrir naturalmente o como resultado de cultivos agrícolas, arrastre de aguas pluviales urbanas, aguas servidas industriales o domésticas, o producción de petróleo y gas*
- 2. Los plaguicidas y herbicidas que pueden proceder de una variedad de fuentes, incluyendo pero no limitando a, la agricultura, el arrastre de aguas pluviales urbanas, y las aplicaciones residenciales.*
- 3. Las sustancias orgánicas que son subproductos de procesos industriales y de la producción del petróleo y pueden provenir de gasolineras, del arrastre de aguas pluviales urbanas, del uso agrícola, y de sistemas sépticos.*
- 4. Organismos microbianos que pueden originarse en la fauna, las operaciones de cría de ganado, las plantas de tratamiento de aguas residuales, y los sistemas sépticos.*
- 5. Las sustancias con características radioactivas que pueden ocurrir naturalmente o sean el resultado de la producción de petróleo y gas, y de las actividades de minería.”*

*”Para asegurarse que el agua embotellada sea segura al consumo, la Administración de Alimentos y Drogas de los Estados Unidos y el Departamento de la Salud Pública del Estado prescriben las regulaciones que limitan la cantidad de ciertos contaminantes en el agua suministrada por las compañías embotelladoras de agua.”*



**Send To: 40450**

Mr. Eric Topel  
Danone Foods Inc.  
100 Hillside Avenue  
White Plains, NY 10603

**Facility: 40451**

S.A. des Eaux Minerales d'Evian  
B.P. 87, Place de la Gare  
74503 Evian  
Cedex  
France

Result	PASS	Report Date	11-FEB-2019
Customer Name	S.A. des Eaux Minerales d'Evian		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	Evian   Natural Spring Water		
Test Type	Annual Collection		
Job Number	A-00324452		
Project Number	10095814 (CLAA)		
Project Manager	Anna Baker		

**Thank you for having your product tested by NSF International.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization** *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

**Date** 11-FEB-2019



**General Information**

Standard: USFDA CFR Title 21 Part 165.110  
Collected by: Olivia Miller  
Lot Number: PRD 01 21 19 09:05  
Product Description: Evian | Natural Spring Water

Sample Id: **S-0001564795**  
Description: Evian | Natural Spring Water - PRD 01 21 19 09:05  
Sampled Date: 01/28/2019  
Received Date: 01/24/2019

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	290		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	10	600		umhos/cm	
Corrosivity	0	0.18			
Hardness, Total	2	360		mg/LCaCO3	
Solids Total Dissolved	5	340	500	mg/L	Pass
Turbidity	0.1	0.1	5	NTU	Pass
pH	0.01	7.13			
Temperature	0	20		deg. C	
Bicarbonate	5	360		mg/L HCO3	
Odor, Threshold	1	1	3	TON	Pass
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
<b>Radiologicals</b>					
Uranium	0.001	0.002	0.03	mg/L	Pass
<b>Inorganic Chemicals</b>					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0002	0.0003	0.006	mg/L	Pass
Arsenic	0.001	ND	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas					
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	0.11	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	



Sample Id: S-0001564795

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	93		mg/L	
Chloride	2	11	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	ND	1.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.2	32		mg/L	
Manganese	0.001	0.001	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.0005	0.001	0.1	mg/L	Pass
Nitrogen, Nitrate	0.01	0.91	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	0.91	10	mg/L	Pass
Potassium	0.5	1.1		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.2	6.7		mg/L	
Sulfate as SO4	2.5	13	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref. EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
Aldicarb sulfoxide	0.5	ND		ug/L	
Aldicarb sulfone	0.5	ND		ug/L	
Oxamyl	0.5	ND	200	ug/L	Pass
Aldicarb	0.5	ND		ug/L	
Carbofuran	0.5	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
3-Hydroxycarbofuran	0.5	ND		ug/L	
Herbicides (Ref: EPA 515.3)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass



Sample Id: S-0001564795

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
Semivolatile Organic Compounds (Ref: EPA 525.2)					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.1	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
Dichlorodifluoromethane	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Bromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass



Sample Id: S-0001564795

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
2,2-Dichloropropane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
Chloroform	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
Trichloroethylene	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
Bromodichloromethane	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
cis-1,3-Dichloropropene	0.5	ND		ug/L	
trans-1,3-Dichloropropene	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,3-Dichloropropane	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chlorobenzene	0.5	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methyl Ethyl Ketone	5	ND		ug/L	
Toluene	0.5	ND	1000	ug/L	Pass
Ethyl Benzene	0.5	ND	700	ug/L	Pass
m+p-Xylenes	1	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Bromobenzene	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
tert-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
n-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	



Sample Id: S-0001564795

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
<b>Chlorinated Pesticides and Organohalides by EPA 508.1</b>					
Toxaphene	0.1	ND	3	ug/L	Pass
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass





<<Additional Information>>

Sample Id: S-0001564795

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
Alkalinity (Ref: SM 2320-B)	29-JAN-2019		
Color (Ref: SM 2120-B)	28-JAN-2019	9:15	
Specific Conductance (Ref: EPA 120.1)	28-JAN-2019		
Corrosivity (Ref: SM 2330-B)			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	28-JAN-2019		
Turbidity (Ref: EPA 180.1)	28-JAN-2019	09:30:00	
pH (Ref: SM4500-HB)	28-JAN-2019	10:12:41	
Bicarbonate (Ref: SM 2320-B)			
Odor, Threshold Number ( Ref. Standard Methods 2150 B)	28-JAN-2019		
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	29-JAN-2019		
Chloramines (Ref: SM 4500-Cl-G)	28-JAN-2019	09:45:00	
Chlorite (Ref: EPA 300.1)	29-JAN-2019		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	28-JAN-2019	09:45:00	
Haloacetic Acids (Ref: EPA 552.2)	8-FEB-2019		7-FEB-2019
Chlorine, Total Residual (ref. SM 4500CL-G)	28-JAN-2019	09:45:00	
<b>Radiologicals</b>			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	29-JAN-2019		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
# * Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas	7-FEB-2019	16:20	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Bromide (Ref: EPA 300.1)	29-JAN-2019		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	29-JAN-2019		
Chloride (Ref: EPA 300.0)	28-JAN-2019		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Cyanide, Total (Ref: EPA 335.4)	31-JAN-2019		
Fluoride (Ref: SM 4500-F-C)	29-JAN-2019		



<<Additional Information>>

Sample Id: S-0001564795

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	29-JAN-2019		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	29-JAN-2019		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Nitrogen, Nitrate (Ref: EPA 300.0)	28-JAN-2019	15:30:35	
Nitrogen, Nitrite (Ref: EPA 300.0)	28-JAN-2019	15:30:35	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	29-JAN-2019		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	29-JAN-2019		
Sulfate as SO4 (Ref: EPA 300.0)	29-JAN-2019		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	28-JAN-2019	11:56:00	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
* Phenolics, Total Recoverable (Based on EPA 420.4)	5-FEB-2019		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	29-JAN-2019		
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	31-JAN-2019		29-JAN-2019
Endothall (Ref: EPA 548.1) - (ug/L)	31-JAN-2019		30-JAN-2019
Glyphosate (Ref: EPA 547)	1-FEB-2019		
Perchlorate (Ref: EPA 314.0)	31-JAN-2019		
<b>Test Notes</b>			
Matrix spikes for Perchlorate recovered outside of method limits. All other QC performed with this analysis met method requirements indicating that the issue is sample matrix related, not system related and is acceptable to report.			
2,3,7,8-TCDD (Ref: EPA 1613B)	29-JAN-2019		29-JAN-2019
Carbamate Pesticides (Ref: 531.2)	30-JAN-2019		
Herbicides (Ref: EPA 515.3)	31-JAN-2019		30-JAN-2019
Semivolatile Organic Compounds (Ref: EPA 525.2)	4-FEB-2019		1-FEB-2019
Volatiles: EDB and DBCP (Ref: EPA 504.1)	31-JAN-2019		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	28-JAN-2019		
Chlorinated Pesticides and Organohalides by EPA 508.1	5-FEB-2019		



**Testing Laboratories:**

Flag	Id	Address
All work performed at: (Unless otherwise specified)	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105
#	MAXXAM	Maxxam - a Bureau Veritas Company 3380 Chastain Meadows Pkwy 300 Kennesaw, GA 30144 Arizona License #AZ0675 NY Lic. # 11645 MI Lic. # 9955

**References to Testing Procedures:**

NSF Reference	Parameter / Test Description
C1188	Odor, Threshold Number ( Ref. Standard Methods 2150 B)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	* Phenolics, Total Recoverable (Based on EPA 420.4)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3166	Bicarbonate (Ref: SM 2320-B)
C3168	Chlorine Dioxide (Ref: SM 4500-ClO2-D)
C3169	Chloramines (Ref: SM 4500-Cl-G)
C3170	Fluoride (Ref: SM 4500-F-C)



**References to Testing Procedures: ( Cont'd )**

<b>NSF Reference</b>	<b>Parameter / Test Description</b>
C3174	Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4202	Herbicides (Ref: EPA 515.3)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1

**Certifications:**

Arizona ( # AZ0655 )	California ( # 03214 CA )	Connecticut ( # PH-0625 )
Florida ( # E-87752 FL )	Hawaii	Indiana
Maryland ( # 201 )	Michigan ( # 0048 )	North Carolina ( # 26701 )
New Jersey ( # MI770 )	Nevada ( # MI000302010A )	New York ( # 11206 )
Pennsylvania ( # 68-00312 )	South Carolina ( # 81005 )	Virginia ( # 00045 )
Vermont ( # VT 11206 )		

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Specific Conductance, Radon, Sr-89/90, Total Residual Chlorine, and Perfluorinated Compounds, if performed, cannot be used for compliance purposes within the State of Arizona.

The reported results for Asbestos, Phenolics, pH, Chlorine Dioxide, Chloramines, Total Residual Chlorine and Perfluorinated Compounds, if performed, are not covered by New York State certification.

**Notes:**

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF International Method Detection Limits refer to [http://www.nsf.org/media/enevs/documents/minimum\\_detection\\_level\\_spreadsheet.pdf](http://www.nsf.org/media/enevs/documents/minimum_detection_level_spreadsheet.pdf).