



Evian Natural Spring Water - Annual Water Quality Report

At Evian we are proud of the quality of our products. Evian Natural Spring Water is distributed nationally and meets or exceeds all bottled water standards for quality and safety at the Federal and state level. The US Food and Drug Administration (FDA) regulates bottled water as a food. Our scientists and independent certified laboratories perform extensive tests on the water source and finished bottled water product to ensure we exceed or are compliant with all Federal and state bottled water requirements.

In addition to existing stringent regulatory standards, the International Bottled Water Association (IBWA) maintains a strict Model Code of quality for its members. Evian is a member of IBWA and meets or exceeds the quality requirements of the IBWA's Model Code. Additionally, we take pride in the fact that our bottled water production plant is annually inspected, on an unannounced basis, by an independent testing organization, NSF International (NSF). Based on unannounced annual plant inspections and product testing, NSF certifies that Evian Natural Spring Water complies with federal and state bottled water regulations and IBWA's Model Code. NSF is located in Ann Arbor, Michigan. For more information about IBWA and NSF, please visit their websites at <http://www.bottledwater.org> and <http://www.nsf.org> or call IBWA at 1-800-WATER-11 and NSF at 1-800-673-6275.

Evian Natural Spring Water Source

Evian Natural Spring Water begins its journey as rain and snow at the top of the French Alps. It takes at least 15 years for every drop of Evian to filter through the glacial sand formations of the French Alps. It is also during that long journey that Evian acquires its unique, well-balanced, mineral composition. Evian's mineral composition has remained unique since it was first recorded in 1807, an additional proof of its quality.

Evian Natural Spring Water Bottling

Evian Natural Spring Water is bottled exclusively at its protected natural spring source (Cachat Spring), which

lies at the very foot of the French Alps, far from any urban or industrial development. The Cachat Spring name is clearly stated on the Evian's label. Evian's source is approved by several regulatory agencies based on a detailed and extensive review.

The high quality of Evian both at the source and after bottling is controlled by analytical tests. These tests verify that the water is not contaminated in any way. Several hundred tests are performed daily both on the source before the water is bottled and on the finished product to verify the constancy of the mineral composition, the absence of pollution and the quality of the plastic bottles. The stainless steel piping from the spring directly to the plant and the filling equipment are designed to protect Evian's purity, in addition to the automated bottling equipment which is maintained under strict sanitary conditions.

Water Quality Data

Attached is a copy of our most recent extensive water quality testing conducted by the independent certified laboratory, NSF. The NSF Report lists the water quality test results for over 175 substances including inorganics (metals, minerals, etc.), organics (pesticides, herbicides, etc.) and microbials as well as physical parameters. Evian Natural Spring Water is analyzed for both regulated and unregulated substances. This Report contains the substance analyzed, approved test method used, test result, minimum detection limit, measurement unit, date analyzed and FDA Quality Standard for bottled water, if applicable. The FDA Quality Standards are the maximum allowable levels for over 80 substances in bottled water.

Evian Natural Spring Water is in full compliance with all federal, state and industry bottled water standards.

**For more information about Evian Natural Spring Water call 1-800-633-3363 or write to us at
Evian Consumer Care, PO Box 1625, Horsham, PA 19044**



Send To: 40450

Mr. Eric Topel
Danone Foods Inc.
100 Hillside Avenue
White Plains, NY 10603

Facility: 40451

S.A. des Eaux Minerales d'Evian
B.P. 87, Place de la Gare
74503 Evian
Cedex
France

| Result | PASS | Report Date | 11-FEB-2019 |
|-----------------|---------------------------------|-------------|-------------|
| Customer Name | S.A. des Eaux Minerales d'Evian | | |
| Tested To | USFDA CFR Title 21 Part 165.110 | | |
| Description | Evian Natural Spring Water | | |
| Test Type | Annual Collection | | |
| Job Number | A-00324452 | | |
| Project Number | 10095814 (CLAA) | | |
| Project Manager | Anna Baker | | |

Thank you for having your product tested by NSF International.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

Date 11-FEB-2019



General Information

Standard: USFDA CFR Title 21 Part 165.110
Collected by: Olivia Miller
Lot Number: PRD 01 21 19 09:05
Product Description: Evian | Natural Spring Water

Sample Id: **S-0001564795**
Description: Evian | Natural Spring Water - PRD 01 21 19 09:05
Sampled Date: 01/28/2019
Received Date: 01/24/2019

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|------------|-------|
| Physical Quality | | | | | |
| Alkalinity as CaCO3 | 5 | 290 | | mg/LCaCO3 | |
| Color | 5 | ND | 15 | Color Unit | Pass |
| Specific Conductance | 10 | 600 | | umhos/cm | |
| Corrosivity | 0 | 0.18 | | | |
| Hardness, Total | 2 | 360 | | mg/LCaCO3 | |
| Solids Total Dissolved | 5 | 340 | 500 | mg/L | Pass |
| Turbidity | 0.1 | 0.1 | 5 | NTU | Pass |
| pH | 0.01 | 7.13 | | | |
| Temperature | 0 | 20 | | deg. C | |
| Bicarbonate | 5 | 360 | | mg/L HCO3 | |
| Odor, Threshold | 1 | 1 | 3 | TON | Pass |
| Disinfection Residuals/Disinfection By-Products | | | | | |
| Bromate | 5 | ND | 10 | ug/L | Pass |
| Monochloramine | 0.05 | ND | | mg/L | |
| Dichloramine | 0.05 | ND | | mg/L | |
| Nitrogen trichloride | 0.05 | ND | | mg/L | |
| Chloramine, Total | 0.05 | ND | 4 | mg/L | Pass |
| Chlorite | 10 | ND | 1000 | ug/L | Pass |
| Chlorine Dioxide | 0.1 | ND | 0.8 | mg/L | Pass |
| Monochloroacetic Acid | 2 | ND | | ug/L | |
| Monobromoacetic Acid | 1 | ND | | ug/L | |
| Dichloroacetic Acid | 1 | ND | | ug/L | |
| Bromochloroacetic Acid | 1 | ND | | ug/L | |
| Trichloroacetic Acid | 1 | ND | | ug/L | |
| Dibromoacetic Acid | 1 | ND | | ug/L | |
| Total Haloacetic Acid | 1 | ND | 60 | ug/L | Pass |
| Chlorine, Total Residual | 0.05 | ND | 4 | mg/L | Pass |
| Radiologicals | | | | | |
| Uranium | 0.001 | 0.002 | 0.03 | mg/L | Pass |
| Inorganic Chemicals | | | | | |
| Aluminum | 0.01 | ND | 0.2 | mg/L | Pass |
| Antimony | 0.0002 | 0.0003 | 0.006 | mg/L | Pass |
| Arsenic | 0.001 | ND | 0.01 | mg/L | Pass |
| * Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas | | | | | |
| Chrysotile Fibers | 0.2 | ND | | MFL | |
| Amphibole Fibers | 0.2 | ND | | MFL | |
| Single Fiber Detection Limit | 0.2 | ND | | MFL | |
| Barium | 0.001 | 0.11 | 2 | mg/L | Pass |
| Beryllium | 0.0002 | ND | 0.004 | mg/L | Pass |
| Bromide | 10 | ND | | ug/L | |



Sample Id: S-0001564795

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|---|-----------------|--------|---------|--------|-------|
| Inorganic Chemicals | | | | | |
| Cadmium | 0.0002 | ND | 0.005 | mg/L | Pass |
| Calcium | 0.2 | 93 | | mg/L | |
| Chloride | 2 | 11 | 250 | mg/L | Pass |
| Chromium (includes Hexavalent Chromium) | 0.001 | ND | 0.1 | mg/L | Pass |
| Copper | 0.001 | ND | 1 | mg/L | Pass |
| Cyanide, Total | 0.005 | ND | 0.2 | mg/L | Pass |
| Fluoride | 0.1 | ND | 1.4 | mg/L | Pass |
| Iron | 0.02 | ND | 0.3 | mg/L | Pass |
| Lead | 0.0005 | ND | 0.005 | mg/L | Pass |
| Magnesium | 0.2 | 32 | | mg/L | |
| Manganese | 0.001 | 0.001 | 0.05 | mg/L | Pass |
| Mercury | 0.0002 | ND | 0.002 | mg/L | Pass |
| Nickel | 0.0005 | 0.001 | 0.1 | mg/L | Pass |
| Nitrogen, Nitrate | 0.01 | 0.91 | 10 | mg/L N | Pass |
| Nitrogen, Nitrite | 0.004 | ND | 1 | mg/L N | Pass |
| Total Nitrate + Nitrite-Nitrogen | 0.02 | 0.91 | 10 | mg/L | Pass |
| Potassium | 0.5 | 1.1 | | mg/L | |
| Selenium | 0.001 | ND | 0.05 | mg/L | Pass |
| Silver | 0.001 | ND | 0.1 | mg/L | Pass |
| Sodium | 0.2 | 6.7 | | mg/L | |
| Sulfate as SO4 | 2.5 | 13 | 250 | mg/L | Pass |
| MBAS, calc. as LAS Mol.Wt. 320 | 0.2 | ND | | mg/L | |
| Thallium | 0.0002 | ND | 0.002 | mg/L | Pass |
| Phenolics | 0.001 | ND | 0.001 | mg/L | Pass |
| Zinc | 0.01 | ND | 5 | mg/L | Pass |
| Organic Chemicals | | | | | |
| Diquat (Ref: EPA 549.2) | | | | | |
| Diquat | 0.4 | ND | 20 | ug/L | Pass |
| Endothall (Ref. EPA 548.1) - (ug/L) | | | | | |
| Endothall | 9 | ND | 100 | ug/L | Pass |
| Glyphosate (Ref: EPA 547) | | | | | |
| Glyphosate | 6 | ND | 700 | ug/L | Pass |
| Perchlorate (Ref: EPA 314.0) | | | | | |
| Perchlorate | 1 | ND | | ug/L | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | | | | | |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 5 | ND | 30 | pg/L | Pass |
| Carbamate Pesticides (Ref: 531.2) | | | | | |
| Aldicarb sulfoxide | 0.5 | ND | | ug/L | |
| Aldicarb sulfone | 0.5 | ND | | ug/L | |
| Oxamyl | 0.5 | ND | 200 | ug/L | Pass |
| Aldicarb | 0.5 | ND | | ug/L | |
| Carbofuran | 0.5 | ND | 40 | ug/L | Pass |
| Methomyl | 0.5 | ND | | ug/L | |
| Carbaryl | 0.5 | ND | | ug/L | |
| 3-Hydroxycarbofuran | 0.5 | ND | | ug/L | |
| Herbicides (Ref: EPA 515.3) | | | | | |
| Dalapon | 1 | ND | 200 | ug/L | Pass |
| Dicamba | 0.1 | ND | | ug/L | |
| 2,4-D | 0.1 | ND | 70 | ug/L | Pass |



Sample Id: S-0001564795

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| Pentachlorophenol | 0.04 | ND | 1 | ug/L | Pass |
| 2,4,5-TP | 0.2 | ND | 50 | ug/L | Pass |
| Dinoseb | 0.2 | ND | 7 | ug/L | Pass |
| Picloram | 0.1 | ND | 500 | ug/L | Pass |
| Bentazon | 0.2 | ND | | ug/L | |
| DCPA Acid Metabolites | 0.2 | ND | | ug/L | |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | | | | | |
| Hexachlorocyclopentadiene | 0.1 | ND | 50 | ug/L | Pass |
| EPTC | 0.5 | ND | | ug/L | |
| Dimethylphthalate | 2 | ND | | ug/L | |
| 2,6-Dinitrotoluene | 0.5 | ND | | ug/L | |
| 2,4 Dinitrotoluene | 0.5 | ND | | ug/L | |
| Molinate | 0.1 | ND | | ug/L | |
| Diethylphthalate | 2 | ND | | ug/L | |
| Propachlor | 0.1 | ND | | ug/L | |
| Hexachlorobenzene | 0.1 | ND | 1 | ug/L | Pass |
| Simazine | 0.07 | ND | 4 | ug/L | Pass |
| Atrazine | 0.1 | ND | 3 | ug/L | Pass |
| Lindane | 0.02 | ND | 0.2 | ug/L | Pass |
| Terbacil | 0.5 | ND | | ug/L | |
| Metribuzin | 0.1 | ND | | ug/L | |
| Alachlor | 0.1 | ND | 2 | ug/L | Pass |
| Heptachlor | 0.04 | ND | 0.4 | ug/L | Pass |
| Di-n-butylphthalate | 2 | ND | | ug/L | |
| Metolachlor | 0.1 | ND | | ug/L | |
| Aldrin | 0.1 | ND | | ug/L | |
| Heptachlor Epoxide | 0.02 | ND | 0.2 | ug/L | Pass |
| Butachlor | 0.2 | ND | | ug/L | |
| p,p'-DDE (4,4'-DDE) | 0.5 | ND | | ug/L | |
| Dieldrin | 0.5 | ND | | ug/L | |
| Endrin | 0.1 | ND | 2 | ug/L | Pass |
| Butylbenzylphthalate | 2 | ND | | ug/L | |
| bis(2-Ethylhexyl)adipate | 0.6 | ND | 400 | ug/L | Pass |
| Methoxychlor | 0.1 | ND | 40 | ug/L | Pass |
| bis(2-Ethylhexyl)phthalate (DEHP) | 0.6 | ND | 6 | ug/L | Pass |
| Benzo(a)Pyrene | 0.02 | ND | 0.2 | ug/L | Pass |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | | | | | |
| Ethylene Dibromide (EDB) | 0.01 | ND | 0.05 | ug/L | Pass |
| 1,2-Dibromo-3-Chloropropane (DBCP) | 0.01 | ND | 0.2 | ug/L | Pass |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | | | | | |
| Dichlorodifluoromethane | 0.5 | ND | | ug/L | |
| Chloromethane | 0.5 | ND | | ug/L | |
| Vinyl Chloride | 0.5 | ND | 2 | ug/L | Pass |
| Bromomethane | 0.5 | ND | | ug/L | |
| Chloroethane | 0.5 | ND | | ug/L | |
| Trichlorofluoromethane | 0.5 | ND | | ug/L | |
| Trichlorotrifluoroethane | 0.5 | ND | | ug/L | |
| Methylene Chloride | 0.5 | ND | 5 | ug/L | Pass |
| 1,1-Dichloroethylene | 0.5 | ND | 7 | ug/L | Pass |



Sample Id: S-0001564795

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--------------------------------|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| trans-1,2-Dichloroethylene | 0.5 | ND | 100 | ug/L | Pass |
| 1,1-Dichloroethane | 0.5 | ND | | ug/L | |
| 2,2-Dichloropropane | 0.5 | ND | | ug/L | |
| cis-1,2-Dichloroethylene | 0.5 | ND | 70 | ug/L | Pass |
| Chloroform | 0.5 | ND | | ug/L | |
| Bromochloromethane | 0.5 | ND | | ug/L | |
| 1,1,1-Trichloroethane | 0.5 | ND | 200 | ug/L | Pass |
| 1,1-Dichloropropene | 0.5 | ND | | ug/L | |
| Carbon Tetrachloride | 0.5 | ND | 5 | ug/L | Pass |
| 1,2-Dichloroethane | 0.5 | ND | 5 | ug/L | Pass |
| Trichloroethylene | 0.5 | ND | 5 | ug/L | Pass |
| 1,2-Dichloropropane | 0.5 | ND | 5 | ug/L | Pass |
| Bromodichloromethane | 0.5 | ND | | ug/L | |
| Dibromomethane | 0.5 | ND | | ug/L | |
| cis-1,3-Dichloropropene | 0.5 | ND | | ug/L | |
| trans-1,3-Dichloropropene | 0.5 | ND | | ug/L | |
| 1,1,2-Trichloroethane | 0.5 | ND | 5 | ug/L | Pass |
| 1,3-Dichloropropane | 0.5 | ND | | ug/L | |
| Tetrachloroethylene | 0.5 | ND | 5 | ug/L | Pass |
| Chlorodibromomethane | 0.5 | ND | | ug/L | |
| Chlorobenzene | 0.5 | ND | 100 | ug/L | Pass |
| 1,1,1,2-Tetrachloroethane | 0.5 | ND | | ug/L | |
| Bromoform | 0.5 | ND | | ug/L | |
| 1,1,2,2-Tetrachloroethane | 0.5 | ND | | ug/L | |
| 1,2,3-Trichloropropane | 0.5 | ND | | ug/L | |
| 1,3-Dichlorobenzene | 0.5 | ND | | ug/L | |
| 1,4-Dichlorobenzene | 0.5 | ND | 75 | ug/L | Pass |
| 1,2-Dichlorobenzene | 0.5 | ND | 600 | ug/L | Pass |
| Methyl-tert-Butyl Ether (MTBE) | 0.5 | ND | | ug/L | |
| Methyl Ethyl Ketone | 5 | ND | | ug/L | |
| Toluene | 0.5 | ND | 1000 | ug/L | Pass |
| Ethyl Benzene | 0.5 | ND | 700 | ug/L | Pass |
| m+p-Xylenes | 1 | ND | | ug/L | |
| o-Xylene | 0.5 | ND | | ug/L | |
| Styrene | 0.5 | ND | 100 | ug/L | Pass |
| Isopropylbenzene (Cumene) | 0.5 | ND | | ug/L | |
| n-Propylbenzene | 0.5 | ND | | ug/L | |
| Bromobenzene | 0.5 | ND | | ug/L | |
| 2-Chlorotoluene | 0.5 | ND | | ug/L | |
| 4-Chlorotoluene | 0.5 | ND | | ug/L | |
| 1,3,5-Trimethylbenzene | 0.5 | ND | | ug/L | |
| tert-Butylbenzene | 0.5 | ND | | ug/L | |
| 1,2,4-Trimethylbenzene | 0.5 | ND | | ug/L | |
| sec-Butylbenzene | 0.5 | ND | | ug/L | |
| p-Isopropyltoluene (Cymene) | 0.5 | ND | | ug/L | |
| 1,2,3-Trimethylbenzene | 0.5 | ND | | ug/L | |
| n-Butylbenzene | 0.5 | ND | | ug/L | |
| 1,2,4-Trichlorobenzene | 0.5 | ND | 70 | ug/L | Pass |
| Hexachlorobutadiene | 0.5 | ND | | ug/L | |



Sample Id: S-0001564795

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| 1,2,3-Trichlorobenzene | 0.5 | ND | | ug/L | |
| Naphthalene | 0.5 | ND | | ug/L | |
| Benzene | 0.5 | ND | 5 | ug/L | Pass |
| Total Trihalomethanes | 0.5 | ND | 80 | ug/L | Pass |
| Total Xylenes | 0.5 | ND | 10000 | ug/L | Pass |
| Chlorinated Pesticides and Organohalides by EPA 508.1 | | | | | |
| Toxaphene | 0.1 | ND | 3 | ug/L | Pass |
| Chlordane | 0.1 | ND | 2 | ug/L | Pass |
| PCB 1016 | 0.08 | ND | 0.5 | ug/L | Pass |
| PCB 1221 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1232 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1242 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1248 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1254 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1260 | 0.1 | ND | 0.5 | ug/L | Pass |
| Endrin | 0.01 | ND | 2 | ug/L | Pass |
| Total PCBs | 0.1 | ND | 0.5 | ug/L | Pass |



<<Additional Information>>

Sample Id: S-0001564795

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|--|---------------|---------------|--------------------------|
| Physical Quality | | | |
| Alkalinity (Ref: SM 2320-B) | 29-JAN-2019 | | |
| Color (Ref: SM 2120-B) | 28-JAN-2019 | 9:15 | |
| Specific Conductance (Ref: EPA 120.1) | 28-JAN-2019 | | |
| Corrosivity (Ref: SM 2330-B) | | | |
| Hardness, Total (Ref: EPA 200.7) | | | |
| Solids, Total Dissolved (Ref: SM 2540-C) | 28-JAN-2019 | | |
| Turbidity (Ref: EPA 180.1) | 28-JAN-2019 | 09:30:00 | |
| pH (Ref: SM4500-HB) | 28-JAN-2019 | 10:12:41 | |
| Bicarbonate (Ref: SM 2320-B) | | | |
| Odor, Threshold Number (Ref. Standard Methods 2150 B) | 28-JAN-2019 | | |
| Disinfection Residuals/Disinfection By-Products | | | |
| Bromate (Ref: EPA 300.1) | 29-JAN-2019 | | |
| Chloramines (Ref: SM 4500-Cl-G) | 28-JAN-2019 | 09:45:00 | |
| Chlorite (Ref: EPA 300.1) | 29-JAN-2019 | | |
| Chlorine Dioxide (Ref: SM 4500-ClO2-D) | 28-JAN-2019 | 09:45:00 | |
| Haloacetic Acids (Ref: EPA 552.2) | 8-FEB-2019 | | 7-FEB-2019 |
| Chlorine, Total Residual (ref. SM 4500CL-G) | 28-JAN-2019 | 09:45:00 | |
| Radiologicals | | | |
| Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Inorganic Chemicals | | | |
| Aluminum (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| # * Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas | 7-FEB-2019 | 16:20 | |
| Barium in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Bromide (Ref: EPA 300.1) | 29-JAN-2019 | | |
| Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) | 29-JAN-2019 | | |
| Chloride (Ref: EPA 300.0) | 28-JAN-2019 | | |
| Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Copper in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Cyanide, Total (Ref: EPA 335.4) | 31-JAN-2019 | | |
| Fluoride (Ref: SM 4500-F-C) | 29-JAN-2019 | | |



<<Additional Information>>

Sample Id: S-0001564795

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|---|---------------|---------------|--------------------------|
| Inorganic Chemicals | | | |
| Iron in Drinking Water by ICPAES (Ref: EPA 200.7) | 29-JAN-2019 | | |
| Lead in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) | 29-JAN-2019 | | |
| Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Nitrogen, Nitrate (Ref: EPA 300.0) | 28-JAN-2019 | 15:30:35 | |
| Nitrogen, Nitrite (Ref: EPA 300.0) | 28-JAN-2019 | 15:30:35 | |
| Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) | | | |
| Potassium by ICPAES (Ref: EPA 200.7) | 29-JAN-2019 | | |
| Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Silver in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) | 29-JAN-2019 | | |
| Sulfate as SO4 (Ref: EPA 300.0) | 29-JAN-2019 | | |
| Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) | 28-JAN-2019 | 11:56:00 | |
| Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| * Phenolics, Total Recoverable (Based on EPA 420.4) | 5-FEB-2019 | | |
| Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) | 29-JAN-2019 | | |
| Organic Chemicals | | | |
| Diquat (Ref: EPA 549.2) | 31-JAN-2019 | | 29-JAN-2019 |
| Endothall (Ref: EPA 548.1) - (ug/L) | 31-JAN-2019 | | 30-JAN-2019 |
| Glyphosate (Ref: EPA 547) | 1-FEB-2019 | | |
| Perchlorate (Ref: EPA 314.0) | 31-JAN-2019 | | |
| Test Notes | | | |
| Matrix spikes for Perchlorate recovered outside of method limits. All other QC performed with this analysis met method requirements indicating that the issue is sample matrix related, not system related and is acceptable to report. | | | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | 29-JAN-2019 | | 29-JAN-2019 |
| Carbamate Pesticides (Ref: 531.2) | 30-JAN-2019 | | |
| Herbicides (Ref: EPA 515.3) | 31-JAN-2019 | | 30-JAN-2019 |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | 4-FEB-2019 | | 1-FEB-2019 |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | 31-JAN-2019 | | |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | 28-JAN-2019 | | |
| Chlorinated Pesticides and Organohalides by EPA 508.1 | 5-FEB-2019 | | |



Testing Laboratories:

| Flag | Id | Address |
|--|--------|---|
| All work performed at: (Unless otherwise specified) | NSF_AA | NSF International 789 N. Dixboro Road Ann Arbor MI 48105 |
| # | MAXXAM | Maxxam - a Bureau Veritas Company 3380 Chastain Meadows Pkwy 300 Kennesaw, GA 30144 Arizona License #AZ0675 NY Lic. # 11645 MI Lic. # 9955 |

References to Testing Procedures:

| NSF Reference | Parameter / Test Description |
|---------------|--|
| C1188 | Odor, Threshold Number (Ref. Standard Methods 2150 B) |
| C2015 | 2,3,7,8-TCDD (Ref: EPA 1613B) |
| C3012 | * Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas |
| C3013 | Chloride (Ref: EPA 300.0) |
| C3014 | Bromide (Ref: EPA 300.1) |
| C3015 | Bromate (Ref: EPA 300.1) |
| C3016 | Nitrogen, Nitrate (Ref: EPA 300.0) |
| C3017 | Nitrogen, Nitrite (Ref: EPA 300.0) |
| C3018 | Sulfate as SO4 (Ref: EPA 300.0) |
| C3019 | Cyanide, Total (Ref: EPA 335.4) |
| C3021 | * Phenolics, Total Recoverable (Based on EPA 420.4) |
| C3025 | Chlorite (Ref: EPA 300.1) |
| C3033 | Aluminum (Ref: EPA 200.8) |
| C3036 | Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3039 | Barium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3042 | Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3044 | Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3047 | Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3053 | Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3059 | Copper in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3064 | Iron in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3072 | Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3079 | Potassium by ICPAES (Ref: EPA 200.7) |
| C3085 | Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3086 | Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3091 | Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3094 | Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3101 | Lead in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3114 | Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3116 | Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3128 | Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3136 | Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3144 | Solids, Total Dissolved (Ref: SM 2540-C) |
| C3145 | Turbidity (Ref: EPA 180.1) |
| C3155 | Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) |
| C3157 | Color (Ref: SM 2120-B) |
| C3158 | Specific Conductance (Ref: EPA 120.1) |
| C3159 | pH (Ref: SM4500-HB) |
| C3161 | Hardness, Total (Ref: EPA 200.7) |
| C3166 | Bicarbonate (Ref: SM 2320-B) |
| C3168 | Chlorine Dioxide (Ref: SM 4500-ClO2-D) |
| C3169 | Chloramines (Ref: SM 4500-Cl-G) |
| C3170 | Fluoride (Ref: SM 4500-F-C) |



References to Testing Procedures: (Cont'd)

| NSF Reference | Parameter / Test Description |
|---------------|--|
| C3174 | Alkalinity (Ref: SM 2320-B) |
| C3188 | Silver in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3210 | Corrosivity (Ref: SM 2330-B) |
| C3342 | Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) |
| C3393 | Chlorine, Total Residual (ref. SM 4500CL-G) |
| C4076 | Carbamate Pesticides (Ref: 531.2) |
| C4145 | Diquat (Ref: EPA 549.2) |
| C4154 | Endothall (Ref. EPA 548.1) - (ug/L) |
| C4193 | Glyphosate (Ref: EPA 547) |
| C4198 | Haloacetic Acids (Ref: EPA 552.2) |
| C4202 | Herbicides (Ref: EPA 515.3) |
| C4343 | Semivolatile Organic Compounds (Ref: EPA 525.2) |
| C4411 | Volatiles: EDB and DBCP (Ref: EPA 504.1) |
| C4496 | Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C4497 | Perchlorate (Ref: EPA 314.0) |
| C4661 | Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) |
| C4669 | Chlorinated Pesticides and Organohalides by EPA 508.1 |

Certifications:

| | | |
|-----------------------------|----------------------------|----------------------------|
| Arizona (# AZ0655) | California (# 03214 CA) | Connecticut (# PH-0625) |
| Florida (# E-87752 FL) | Hawaii | Indiana |
| Maryland (# 201) | Michigan (# 0048) | North Carolina (# 26701) |
| New Jersey (# MI770) | Nevada (# MI000302010A) | New York (# 11206) |
| Pennsylvania (# 68-00312) | South Carolina (# 81005) | Virginia (# 00045) |
| Vermont (# VT 11206) | | |

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Specific Conductance, Radon, Sr-89/90, Total Residual Chlorine, and Perfluorinated Compounds, if performed, cannot be used for compliance purposes within the State of Arizona.

The reported results for Asbestos, Phenolics, pH, Chlorine Dioxide, Chloramines, Total Residual Chlorine and Perfluorinated Compounds, if performed, are not covered by New York State certification.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF International Method Detection Limits refer to http://www.nsf.org/media/enevs/documents/minimum_detection_level_spreadsheet.pdf.